



# BHB 311

---

## Product Release Document

Marketing Department.  
September 23, 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website [www.ascensotyres.com](http://www.ascensotyres.com)

**Release Month:** September'20

List of Sizes

**Brand:** ASCENSO

**Tread Pattern :** BHB 311

**Tyre Construction:** Bias

**Type :** Tubeless

**Main Applications:** Backhoe Loader

**TRA Code :** IND

Size	PR
18.4-26 IND	12



## Salient Features

### **Robust Lug Design:**

Combination of robust lugs needed for industrial applications , combined with good self cleaning properties

### **Flat and Wider Tread:**

Excellent stability during vehicle operation

### **Special Tread Compound:**

Ensures protection from cut and punctures



# Technical Specification

Size	Rim	Unloaded Dimension		SLR	RC	LI/SI or PR	Inflation Pressure	Recommended load , kg ( lbs)			
								Speed, km/h (mph)			
		SW	OD					Agriculture Use – Field		Agriculture Use – Road Transport	
		mm	mm					mm	mm	Bar	10
In	in	in	in	Psi	6	12	19	25			
18.4-26 IND	16	467	1450	656	4337	12 PR 156 A8	<b>2.5</b>	5000	4360	4160	<b>4000</b>
		18.4	57.1	25.8	170.7		36	11010	9600	9160	8810

**Note:** All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover