



BOSS BH 32

Product Data Sheet

Marketing Department.
October 23, 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

Release Month: October '20

Brand: ASCENSO

Tread Pattern : BOSS BH 32

Tyre Construction: Bias

Type: Tube Type

Main Applications: Backhoe Loader

TRA Code: IND

List of Sizes

Size	PR
9.00-16	16



Salient Features

Unique “U” pattern:

Improves traction under heavy duty service conditions

Specially – designed CCR compound:

Cut and chip resistance compound provides excellent resistance under severe terrain condition



Technical Specification

Tyre Size	PR	TT/TL	Load Index/Speed Symbol	Rim	Unloaded Inflated Dimension				Static Loaded Radius		Roolling Circumference		Load Carrying Capacity			
					SW		OD						Max.Load		Inflation Pressure	
					mm	in	mm	in	mm	in	mm	in	kg	lbs	bar	psi
9.00-16	16	TT	149A8	6.00G	248.0	9.8	912.0	35.9	411.8	16.2	2727.6	107.4	3230	7106	8.5	123

Note: All tyres confirm to ETRTO standards

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction and Earthmover

Mahansaria Tyres Pvt. Ltd.

612, 6th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021, Maharashtra, India

T: +91 22 4348 1600 Website: www.ascensotyres.com