



BOSS BH 31

Product Data Sheet

Marketing Department.
October 23, 2020

This document is created to register the marketing communication collaterals and process details for the launch of the above-mentioned pattern; it is intended for internal circulation and approval for further dissemination. All facts and figures mentioned in the document is true to the best of our knowledge as on the above said date, for updated information please feel free to visit the website www.ascensotyres.com

List of Sizes

Release Month: October'20

Brand: ASCENSO

Tread Pattern : BOSS BH 31

Tyre Construction: Bias

Type: Tube Type

Main Applications: Backhoe Loader

TRA Code: E-3

Size	PR
14.00-25	12
14.00-25	20



Salient Features

Unique XD pattern:

Higher mileage , more load carrying Capacity and greater traction

Specially – designed CCR compound:

Cut and chip resistance compound provides excellent resistance under sever terrain condition and improves re-treadability



Technical Specification

Tyre Size	PR	TT/TL	LI/SI	Recomm. Rim	Unloaded Inflated Dimension		Static Loaded Radius	Rolling Circumference	Speed	Load Carrying Capacity	
					SW	OD				Inflation Pressure	Max Load
					mm	mm				bar	kg
					Inch	Inch				psi	lbs
14.00-25	12	TT	150 B 172 A2	10	375	1368	620	4091	10	4.3	6300
									6	62	13890
					14.8	53.9	24.4	161.1	50	2.8	3350
									31	40	7385
14.00-25	20	TT	161 B	10	375	1368	620	4091	50	4.8	4625
					14.8	53.9	24.4	161.1	31	69	10190

Note: All tyres confirm to ETRTO standards

Figures in bold are the recommended specification

Ascenso is a new-age off-highway tyre brand that caters to three key global segments: Agriculture, Industrial & Construction, Material handling, Earthmover and Forestry.