

BOSS TS 14 - Data Sheet

Agriculture | Bias | F-2 | TT | 5 Years



Salient Features & Benefits

Tractor Steer Bias 14: Advanced T-Grip Shoulder Rib Geometry for Superior Steering Stability

T Shaped Design on Shoulder Rib:

- Enhanced Steering Grip and Directional Stability on Field

Continuous Centre Rib Support:

- Improved Straight-line Stability during Road Transport

Deep Tread Depth:

- Ensures Longer Service Life

Robust Nylon Casing:

- Supports High Load Carrying capacity

Machineries



Tractor

Standard: ProductComponent.International Standards

Technical Specifications

ECE	Size	Recommended Rim	Alternate Rim	PR & LI/SI	Unloaded Dimension (mm)		Static Load Radius (mm)	Rolling Circumference (mm)	Type
					SW	OD			
-	9.50-16	6.00 F	-	8 PR 106 A8	239	890	402.7	2661.8	TT
-	10.50-16	W8L	-	8 PR 110 A8	279	940	423.3	2811.3	TT

The product information presented in this publication is provided for general reference and may be updated or revised without prior notification. Mahansaria Tyres Pvt. Ltd. or its subsidiaries make no guarantees regarding the absence of errors, omissions, or inaccuracies in the material.

All content featured in this publication or on our website is the sole property of Mahansaria Tyres Pvt. Ltd. and is protected under applicable intellectual property and industrial laws. No part of this material may be copied, reproduced, stored, shared, or distributed in any format: digital, print, or otherwise, without obtaining prior written authorisation from Mahansaria Tyres Pvt. Ltd.

Note: All tyres confirm to ETRTO standards.