

FCR 185 - Data Sheet

Agriculture | Radial | IMP | TL | 7 Years

Salient Features & Benefits

Flotation Construction Radial 185, specially designed for trailer in construction sites.

Suits for construction transportation of Agri trailer

- Block design for all surfaces.
- Machine Stability & Better control in various terrains.

Smooth & comfortable ride

- High Rubber to Void ratio
- Uniformly distributed tread rubber to minimize Noise levels while on the road.

Superior Grip & Traction

- Open Tread design with optimized tread grooves
- Wide contact area that provides good lateral balance and provides great flotation on soft surfaces.

Maximum Strength


- Strong Casing with High Performance Steel belts.
- Offers better impact resistance and defend against stubble to enhance tyre more durable. with High load carrying capacity

Enhanced durability in rugged terrain

- Cut Resistant Compound.
- Exceptional Resistance to cut & abrasion in operation. & more productivity.



Machineries



Flotation Construction Trailer

Standard: ProductComponent.International Standards

Technical Specifications

ECE	Size	Recommended Rim	Alternate Rim	PR & LI/SI	Unloaded Dimension (mm)		Static Load Radius (mm)	Rolling Circumference (mm)	Type
					SW	OD			
E11*106R00/20*10243*00	560/60R22.5 HD (SB)	AG20.00	AG16.00,AG18.00,AG17.00	169 D	584	1244	563	3721	TL
E11*106R00/20*10048*00	600/55R26.5 HD (SB)	AG20.00	-	173 D	611	1333	609	3987	TL
E11*106R00/20*10047*00	650/55R26.5 HD (SB)	AG20.00	-	178 D	645	1389	632	4154	TL
E11*106R00/20*10049*00	600/60R30.5 HD (SB)	AG20.00	-	178 D	611	1495	684	4471	TL

The product information presented in this publication is provided for general reference and may be updated or revised without prior notification. Mahansaria Tyres Pvt. Ltd. or its subsidiaries make no guarantees regarding the absence of errors, omissions, or inaccuracies in the material.

All content featured in this publication or on our website is the sole property of Mahansaria Tyres Pvt. Ltd. and is protected under applicable intellectual property and industrial laws. No part of this material may be copied, reproduced, stored, shared, or distributed in any format: digital, print, or otherwise, without obtaining prior written authorisation from Mahansaria Tyres Pvt. Ltd.

Note: All tyres confirm to ETRTO standards.