

IMB 168 - Data Sheet

Agriculture | Bias | I-1 | TL | 5 Years



Salient Features & Benefits

IMB 168, Specially designed rib tyre for highway implements, built for high-speed transport and field stability

DOT Approved for Intermittent Highway Use

- D.O.T.-certified tread design
- Ensures legal and safe use for short-distance on-road operations ideally on towed farm implements and wagons

High Load Carrying Capacity at High Speed

- Reinforced carcass with heavy-duty ply construction
- Withstands heavy loads during fieldwork and highway movement without structural deformation

Excellent Stability

- Specially engineered five-rib tread with flat profile
- Provides precise handling and directional stability on both paved roads and uneven surfaces

Long Service Life

- Deeper Tread Grooves equipped with Wear-resistant compound
- Delivers extended tyre life under heavy-duty cycles and varied terrain usage

Machineries



Highway Implement

Standard: ProductComponent.International Standards

Technical Specifications

ECE	Size	Recommended Rim	Alternate Rim	PR & LI/SI	Unloaded Dimension (mm)		Static Load Radius (mm)	Rolling Circumference (mm)	Type
					SW	OD			
E11*54R00/27*2112 7*00	9.5L-15 FI	7	-	12 PR 123J	241	767	350	2294	TL
E11*54R00/27*2112 8*00	11L-15 FI	8LB	-	12 PR 128J	279	777	354	2324	TL
E11*54R00/27*2112 9*00	12.5L-15 FI	10LB	-	12 PR 134J	318	823	373	2461	TL

The product information presented in this publication is provided for general reference and may be updated or revised without prior notification. Mahansaria Tyres Pvt. Ltd. or its subsidiaries make no guarantees regarding the absence of errors, omissions, or inaccuracies in the material.

All content featured in this publication or on our website is the sole property of Mahansaria Tyres Pvt. Ltd. and is protected under applicable intellectual property and industrial laws. No part of this material may be copied, reproduced, stored, shared, or distributed in any format: digital, print, or otherwise, without obtaining prior written authorisation from Mahansaria Tyres Pvt. Ltd.

Note: All tyres confirm to ETRTO standards.