



AGRICULTURE



FORESTRY



"Never Stop Rising:

**BUILT FOR PERFORMANCE.
DRIVEN BY TRUST.**

AGRICULTURE

**INDUSTRIAL &
CONSTRUCTION**

**MATERIAL
HANDLING**

**EARTH
MOVER**

FORESTRY



Ascenso, one of the leading brands of high-performance tyres, for the **Agriculture, Industrial & Construction, Material Handling, Earthmover and Forestry segments**. With a focus on quality, durability, and innovation, Ascenso offers tyre solutions designed to perform in the most demanding environments. Our tyres are engineered for optimal efficiency, longer lifespan, and reduced downtime, ensuring improved productivity and reduced operational costs for businesses.



» Tractor



TSB 110 F-2 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	5.00-15	6	76A8
2	7.5L-15	6	93 A8
3	5.50-16	6	82A8
4	6.00-16	6	85A8
5	6.00-16	8	91A8
6	6.50-16	6	88A8
7	7.50-16	8	99A8
8	7.50-16	10	104A8
9	9.00-16	10	111A8
10	10.00-16	10	115A8
11	11.00-16	10	118A8
12	7.50-18	8	102A8
13	4.00-19	6	72A8
14	6.00-19	6	89A8
15	7.50-20	8	105A8



TSB 111 F-2 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	4.50-16	6	74 A8
2	5.00-16	6	76 A8
3	5.50-16	6	82 A8
4	6.00-16	8	91 A8
5	6.00-16 (HD)	8	91 A8
6	6.50-16	8	94 A8
7	6.50-16 (HD)	8	94 A8
8	7.50-16	8	99 A8
9	7.50-16 (HD)	8	99 A8
10	7.50-16	14	119 A8
11	7.50-18	8	102 A8
12	6.00-19	8	91 A8
13	6.50-20	8	93 A8
14	7.50-20	8	105 A8

HD- Heavy Duty



TSB 112 F-2 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	9.5L-15 SL	8	102A8
2	11L-15 SL	8	106A8
3	7.50-16 SL	8	99 A8
4	10.00-16 SL	8	110A8
5	11.00-16 SL	8	114A8
6	11.00-16 SL	12	123A8
7	14L-16.1SL	12	127 A8

Note: SL- Standard Load



BOSS TS 14 F-2 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	9.50-16	8	106A8
2	10.50-16	8	110A8



BOSS TS 16 F-2 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	6.00-16	8	94A6
2	6.50-16	8	103A6
3	7.50-16	8	98A6



TDB 120 R-1 (TT/TL)

Sr. No	Tyre Size	PR	LI/SI
1	6.50-16	8	94 A8
2	8.00-16	6	88 A8
3	9.5-16	8	102A8
4	8'-18	12	109 A8
5	8.00-18 HD	12	116 A8
6	250/80-18	8	117 A8
7	8.3-20	6	92 A8
8	9.5-20	6	99 A8
9	11.2-20	8	107 A8
10	11.2-20 (SB) (SG)	8	107 A8
11	8.3-24*	8	105 A8
12	8.3-24	8	105 A8
13	9.5-24*	8	112 A8
14	9.5-24	8	112 A8
15	9.5-24	12	116 A8
16	11.2-24*	8	116 A8
17	11.2-24	8	116 A8
18	11.2-24	12	124 A8
19	12.4-24*	8	121 A8
20	12.4-24	8	121 A8
21	12.4-24	12	128 A8
22	13.6-24*	8	123 A8
23	13.6-24	8	123 A8
24	13.6-24	12	130 A8
25	14.9-24*	8	128 A8
26	14.9-24	8	128 A8
27	14.9-24	12	136 A8
28	16.9-24*	8	133 A8
29	16.9-24	8	133 A8
30	16.9-24	12	143 A8
31	14.9-26	10	129 A8
32	14.9-26	12	134 A8
33	16.9-26	10	133 A8
34	11.2-28*	8	118 A8
35	11.2-28	8	118 A8
36	12.4-28*	8	123 A8
37	12.4-28	8	123 A8
38	12.4-28	12	131 A8
39	13.6-28*	8	125 A8
40	13.6-28	8	125 A8
41	14.9-28*	8	130 A8
42	14.9-28	8	130 A8
43	14.9-28	12	137 A8
44	16.9-28*	8	135 A8
45	16.9-28	8	135 A8
46	16.9-28	12	143 A8
47	7.2-30	6	96 A8
48	9.5-30	6	111 A8
49	14.9-30	8	127 A8
50	16.9-30*	8	137 A8
51	16.9-30	8	137 A8

Sr. No	Tyre Size	PR	LI/SI
52	16.9-30	12	144 A8
53	16.9-30	14	146 A8
54	18.4-30*	8	139 A8
55	18.4-30	8	139 A8
56	18.4-30	14	152 A8
57	18.4-30	16	154 A8
58	8.3-32	8	107 A8
59	8.3-32 HD	8	107 A8
60	9.5-32	6	106 A8
61	12.4-32	8	125 A8
62	16.9-34*	8	139 A8
63	16.9-34	8	139 A8
64	16.9-34*	12	144 A8
65	16.9-34	14	149 A8
66	18.4-34*	8	142 A8
67	18.4-34	8	142 A8
68	18.4-34	14	153 A8
69	12.4-36	8	126 A8
70	12.4-36	14	139 A8
71	13.6-36	8	129 A8
72	13.6-36	12	138 A8
73	13.6-36	14	142 A8
74	13.6-38*	8	131 A8
75	13.6-38	8	131 A8
76	13.6-38	10	136 A8
77	13.6-38	14	138 A8
78	15.5-38*	8	133 A8
79	15.5-38	8	133 A8
80	15.5-38	10	138 A6
81	15.5-38	12	141 A6
82	16.9-38*	8	141 A8
83	16.9-38	8	141 A8
84	16.9-38	14	151 A8
85	18.4-38*	8	143 A8
86	18.4-38	8	143 A8
87	18.4-38	14	155 A8

Note: SB - Steel Belted, SG- Stubble Guard,
HD- Heavy Duty, The size * marked in star is TL



TDB 121 R-1W+ (TT/TL)

Sr. No	Tyre Size	PR	LI/SI
1	5-12	6	64A6/60A8
2	6-12	6	71A6/67A8
3	6-14*	4	66A6/63A8
4	9.5-18	8	105A6/101A8
5	8.3-20	8	101A6/98A8
6	9.5-20	8	107A6/103A8
7	9.5-24	8	111A6/108A8
8	12.4-24	8	120A6/117A8
9	13.6-26	8	126A6/123A8
10	12.4-28	12	131A6/127A8
11	13.6-28	12	134A6/130A8
12	14.9-28	12	137A6/133A8
13	16.9-28	12	143A6/139A8

Note: The size marked in star is TL



TDB 122 R-1 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	18.4-26	12	146 A6 / 142 A8



TDB 123 R-1 (TT/TL)

Sr. No	Tyre Size	PR	LI/SI
1	23.1-26*	12	153A8
2	23.1-26**	16	159A8
3	23.1-30*	14	157A8
4	20.8-38**	8	148A8
5	20.8-38**	14	159A8
6	20.8-42*	14	161A8

Note: (1) The size marked in single star is TL,
(2) The size marked in double star is TT/TL



TDB 124 R-1 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	24.5-32	12	159A6



TDB 125 R-2 (TT)

Sr. No	Tyre Size	LI/SI
1	12.4-24	117 A8 / 121 A6
2	13.6-24	120 A8 / 123 A6
3	14.9-24	124 A8 / 128 A6
4	23.1-26	152 A8 / 156 A6
5	18.4-30	145 A8 / 149 A6
6	23.1-30	154 A8 / 157 A6
7	23.1-34	156 A8 / 160 A6



TDB 126 R-2 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	5.00-26 (120/90-26)	6	90 A2



TDB 127 R-1 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	180/85D12	6	76 A6 / 72 A8



BOSS TD 15 R-1 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	12.4-28	12	125A6
2	13.6-28	12	128A6
3	14.9-28	12	134A6
4	16.9-28	12	143A6
5	18.4-30*	14	152A8

Note: Star marked size is also for Harvester Machinery



BOSS TD 16 R-1 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	9.5-24	12	114 A6
2	13.6-28	12	128 A6
3	14.9-28	12	134 A6
4	16.9-28	12	143 A6
5	16.9-30	12	144 A6



XLR 880 R-1W (TL)

Sr. No	Tyre Size	LI/SI
1	600/65R28*	154 D
2	600/70R28*	161 D
3	600/70R30*	152 D
4	600/70R30	152 D / 149 E
5	600/70R34	160 D
6	650/75R38	169 D
7	650/85R38*	173 D
8	710/70R38*	172 D
9	710/70R38	172 D / 169 E
10	710/70R38*	178 D
11	800/70R38*	178 D
12	620/70R42	166 D
13	710/70R42*	173 D
14	710/75R42*	175 D
15	620/70R46	167 D

Note: *mark sizes also available in HD- Haulage Duty




TDR 650 R-1W (TL)

Sr. No	Tyre Size	LI/SI
1	420/65R20	135 D
2	440/65R20	138 D
3	440/65R24	135 D
4	480/65R24	140 D
5	540/65R24	146 D
6	540/65R26	141 D
7	440/65R28	138 D
8	480/65R28	142 D
9	540/65R28*	149 D
10	540/65R28	154 D
11	540/65R30*	150 D
12	540/65R30	150 D/147E
13	540/65R34*	152 D
14	540/65R34	152D/149E
15	600/65R34*	157 D
16	540/65R38	153 D
17	540/65R38	153 D/150E
18	600/65R38	159 D
19	650/65R38*	163 D
20	650/65R38 (SB)	171 D
21	650/65R42*	165 D

Note: SB- Steel Belted, *mark sizes also available in HD- Haulage Duty





TDR 700 R-1W (TL)

Sr. No	Tyre Size	LI/SI
1	200/70R16	94 D
2	360/70R20	129 D
3	380/70R20	122 D
4	320/70R24	116 D
5	360/70R24	122 D
6	380/70R24	125 D
7	420/70R24	130 D
8	480/70R24	138 D
9	360/70R28	125 D
10	380/70R28	127 D
11	420/70R28*	133 D
12	480/70R28	140 D
13	420/70R30	134 D
14	480/70R30	141 D
15	480/70R34	143 D
16	480/70R34 (SB) (SG)	157 D
17	520/70R34	148 D
18	400/75R38	138 D
19	480/70R38	145 D
20	520/70R38*	150 D
21	580/70R38	155 D
22	580/70R38 (SB)	180 D
23	580/70R42	162 D

Note: SB- Steel Belted, SG- Stubble Guard, *mark sizes also available in HD- Haulage Duty



TDR 800 R-1W (TL)

Sr. No	Tyre Size	LI/SI
1	380/80R38	142 D
2	380/80R38 (SB) (SG)	152 D
3	420/80R46	159 D
4	480/80R42	156 D
5	480/80R46	158 D
6	480/80R50	159 D
7	480/80R50	165 D

Note: SB- Steel Belted, SG- Stubble Guard



TDR 850 R-1W (TL)

Sr. No	Tyre Size	LI/SI
1	250/85R20	116 D
2	280/85R20	116 D
3	320/85R20	119 D
4	250/85R24	109 D
5	280/85R24	115 D
6	280/85R24	130 D
7	320/85R24	122 D
8	340/85R24 (13.6R24)	125 D
9	380/85R24	131 D
10	420/85R24	137 D
11	420/85R26	143 D
12	250/85R28	112D
13	280/85R28	118 D
14	320/85R28	124 D
15	340/85R28	127 D
16	380/85R28	133 D
17	380/85R28	141 D
18	420/85R28	139 D
19	380/85R30	135 D
20	420/85R30	140 D
21	460/85R30	145 D
22	320/85R32	126 D
23	320/85R32 (SB)	145 D
24	380/85R34	137 D
25	420/85R34	142 D
26	420/85R34 (SB) (SG)	152 D
27	460/85R34	147 D
28	320/85R36	128 D
29	320/85R36	148 D
30	340/85R36	132 D
31	320/85R38	143 D
32	340/85R38	133 D
33	380/85R38	144 D
34	420/85R38	144 D
35	460/85R38	149 D
36	460/85R38 (SB)	167 D
37	460/85R38 (SB) (SG)	149 D
38	520/85R38*	155 D
39	520/85R42	157 D
40	520/85R42	165 D
41	520/85R42	169 D
42	520/85R46	158 D
43	520/85R46	169 D

Note: SB- Steel Belted, SG- Stubble Guard, *mark sizes also available in HD- Haulage Duty



VDR 2000 R-1W (TL)

Sr. No	Tyre Size	LI/SI
1	VF 520/60R28 (SB)	149 D
2	VF 600/60R28 NRO (SB)	160 D
3	VF 600/65R28 NRO (SB)	163 D
4	VF 540/65R30 NRO (SB)	161 D
5	VF 600/60R30 NRO (SB)	162 D
6	VF 600/65R30 NRO (SB)	161 D
7	VF 600/70R30 NRO (SB)	170 D
8	VF 710/55R30 NRO (SB)	165 D
9	VF 380/85R34 (SB)	149 D
10	VF 420/85R34 (SB)	159 D
11	VF 600/60R34 (SB)	160 D
12	VF 600/70R34 NRO (SB)	170 D
13	VF 650/60R34 NRO (SB)	168 D
14	VF 650/65R34 NRO (SB)	170 D
15	VF 710/60R34 NRO (SB)	173 D
16	VF 380/80R38 (SB)	167 D
17	VF 380/95R38 NRO (SB)	159 D
18	VF 420/85R38 (SB)	155 D
19	VF 650/60R38 NRO (SB)	173 D
20	VF 650/65R38 NRO (SB)	180 D
21	VF 650/65R38 (SB)	182 D
22	VF 710/60R38 NRO (SB)	174 D
23	VF 710/70R38 NRO (SB)	181 D
24	VF 800/70R38 NRO (SB)	187 D
25	VF 650/65R42 NRO (SB)	174 D
26	VF 710/60R42 NRO (SB)	176 D
27	VF 710/70R42 NRO (SB)	185 D
28	VF 710/75R42 NRO (SB)	184D
29	VF 900/60R42 NRO (SB)	189 D
30	VF 750/70R44 (SB)	186 D
31	VF 380/85R46 NRO (SB)	162 D
32	VF 480/80R46 (SB)	177 D
33	VF 480/95R54 NRO (SB)	180 D
34	VF 600/65R28 CFO (SB)	166 A8
35	VF 540/65R30 CFO (SB)	161 A8
36	VF 800/70R38 CFO (SB)	190 A8
37	VF 710/70R38 CFO (SB)	183 A8
38	VF 710/70R42 CFO (SB)	190 A8
39	VF 900/50R42 NRO (SB)	180 D/177 E

Note: VF- Very High Flexion
SB- Steel Belted, CFO-Cyclical Field Operation,
NRO- Narrow Rim Option



VDR 2010 R-1 (TL)

Sr. No	Tyre Size	LI/SI
1	VF 420/85R34 (SB5G)	159D

Note: VF- Very High Flexion SB- Steel Belted /
SG- Stubble Guard



CDR 700 R-1 (TL)

Sr. No	Tyre Size	LI/SI
1	240/70R16	104 D
2	260/70R16	109 D
3	280/70R16	112 D
4	320/65R16	117 D
5	280/70R18	114 D
6	320/65R18	109 D
7	340/65R18	113D
8	260/70R20	113 D
9	280/70R20	116 D
10	300/70R20	120 D
11	320/70R20	123 D



TDR 900 R-1 (TL)

Sr. No	Tyre Size	LI/SI
1	180/95R16 (6.50R16)	105 D
2	210/95R18 (7.50R18)	108 D
3	210/90R24	107A8/B
4	210/95R28	116A8/B
5	420/90R30	147A8/B
6	210/95R32	116D/119A8
7	230/95R32	128 D
8	270/95 R32	136 D
9	320/85R34	141 D
10	230/95R36	130 D
11	270/95R36	139 D
12	270/95R38	140 D
13	380/95R38	147 D/150A8
14	230/95R40	132 D/135A8
15	230/95R42	133 D
16	270/95R42	139 D
17	320/80R42	141A8/141B
18	320/90R42	144 D/147A8
19	210/95R44	126 D
20	230/95R44	134 D
21	270/95R44	142 D
22	270/95R46	141D/144A8
23	300/95R46	148 D
24	320/90R46	148 D
25	340/85R46	150 D
26	380/90R46 (SB)	159 D
27	380/90R46 (SB)	173 D
28	230/95R48	136 D
29	270/95R48	144 D
30	340/85R48	151 D
31	320/90R50	150 D
32	480/95R50	164 D/167A8
33	300/95R52 (SB)	156 D
34	270/95R54 (SB)	156 D


Note: SB- Steel Belted



VDR 900 R-1W (TL)

Sr. No	Tyre Size	LI/SI
1	VF 320/85R38 (SB)	155 D
2	VF 580/85R42 (SB)	183 D
3	VF 320/105R46 (SB)	172D
4	VF 320/90R46 (SB)	165D
5	VF 380/90R46 (SB)	173 D
6	VF 420/80R46 (SB)	175 D
7	VF 520/85R46 (SB)	173 D
8	VF 320/90R50 (SB)	169 D
9	VF 380/90R50 (SB)	175 D
10	VF 380/105R50 (SB)	179 D
11	VF 420/95R50 (SB)	177 D
12	VF 480/80R50 (SB)	179 D
13	VF 480/95R50 (SB)	176 D
14	VF 250/115R54 (SB) #	151 D
15	VF 320/90R54 (SB)	168 D
16	VF 320/105R54 (SB)	172 D
17	VF 380/90R54 (SB)	176 D
18	VF 380/105R54 (SB)	180 D

Note: VF- Very High Flexion SB- Steel Belted,
*VF 250/115R54 size replaces VF 230/115R54



VDR 901 R-1 (TL)

Sr. No	Tyre Size	LI/SI
1	VF380/90R46 (SB)	173 D

Note: VF- Very High Flexion SB- Steel Belted



MDR 1000 IND (TL)

Sr. No	Tyre Size	LI/SI
1	240/70R16 (SB)	107A8/102 D
2	250/75R16 SB	120 G
3	280/80R18 (SB)	132A8/127 D
4	340/80R18 (SB)	143A8/138 D
5	340/80R20 (SB)	144A8/141 D
6	360/80R20 (SB)	147A8/143 D
7	400/70R20 (SB)	149A8/144 D
8	340/80R24 (SB)	140A8/135 D
9	360/80R24 (SB)	143A8/138 D
10	400/70R24 (SB)	152A8/ 14 D
11	400/80R24 (SB)	149A8/144 D
12	420/65R24 (SB)	151A8/146 D
13	440/80R24 (SB)	154A8/149 D
14	460/70R24 (SB)	159A8/154 D
15	500/70R24 (SB)	164A8/159 D
16	540/70R24 (SB)	168A8/162 D
17	480/80R26 (SB)	160A8/155 D
18	580/70R26 (SB)	158A8/153 D
19	400/80R28 (SB)	151A8/146 D
20	440/80R28 (SB)	156A8/151 D
21	480/65R28 (SB)	154A8/149 D
22	540/65R28 (SB)	160A8/155 D
23	440/80R30 (SB)	157A8/153 D
24	480/80R30 (SB)	162A8/157 D
25	540/65R30 (SB)	161A8/156 D
26	600/70R30 (SB)	171A8/166 D
27	440/80R34 (SB)	159A8/155 D
28	480/80R34 (SB)	164A8/159 D
29	480/80R38 (SB)	166A8/161 D
30	540/80R38 (SB)	172A8/167 D
31	600/65R38 (SB)	170A8/166 D
31	650/65R38 (SB)	175A8/170 D
33	650/65R38 (SB) (SG)	175A8/170 D
34	650/85R38 (SB)	183A8/178 D
35	650/65R42 (SB)	176A8/171 D
36	620/80R42 (SB)	181A8/177 D
37	710/70R42 (SB)	185A8/180 D

Note: SB- Steel Belted SG- Stubble Gard

Telehandler



MIR 220 IND (TL)

Sr. No	Tyre Size	LI/SI
1	280/80R16 (SB)	122 A8/B
2	300/75R18 (SB)	142 A8/B
3	340/80R18 (SB)	143A8/B
4	400/70R18 (SB)	147 A8/B
5	280/80R20 (SB)	133 A8/B
6	340/80R20 (SB)	144A8/B
7	380/75R20 (SB)	148A8/B
8	400/70R20 (SB)	149A8/B
9	420/75R20 (SB)	154A8/B
10	400/70R24 (SB)	152 A8/B
11	400/80R24 (SB)	162A8/B
12	440/80R24 (SB)	168A8/B
13	460/70R24 (SB)	159A8/B
14	500/70R24 (SB)	164A8/B
15	480/80R26 (SB)	167A8/B
16	440/80R28 (SB)	156A8/B
17	500/70R28 (SB)	164 A8/B

Note: The size marked in star is TT



MIR 221 IND (TL)

Sr. No	Tyre Size	LI/SI
1	340/80R18 (SB)	143A8/B
2	400/70R24 (SB)	152A8/B
3	460/70R24 (SB)	159A8/B
4	500/70R24 (SB)	164A8/B
5	480/80R/26 (SB)	167A8/B
6	440/80R28 (SB)	163A8/B

Note: The size marked in star is TT



Harvester



HRB 210 R-1 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	23.1-26	16	159 A6
2	28L-26	14	157 A6
3	30.5L-32	18	170 A6



HRR 200 R-1 (TL)

Sr. No	Tyre Size	LI/SI
1	500/85R24 (IMP) (SB)	171 A8/158 A8
2	620/75R26 (SB)	167A8
3	500/85R30 (IMP) (SB)	176 A8/164 A8
4	620/75R30 CHO (SB)	169 A8/B
5	650/75R32 (SB)	172 A8
6	680/85R32 (SB)	179 A8
7	800/65R32 (SB)	181 A8
8	800/70R32 (SB)	175 A8
9	900/60R32 (SB)	191 D
10	710/75R34 CHO (SB)	184 A8/B

Note: SB- Steel Belted, CHO- Cyclic Harvesting Operation, IMP- Implement



VHR 3000 R-1W (TL)

Sr. No	Tyre Size	LI/SI
1	VF 1000/50R25 CFO (SB SG)*	184 D / 184 A8
2	VF 750/50R26 CFO (SB SG)*	169 D / 169 A8
3	VF 750/65R26 CFO (SB SG)	180 A8
4	VF 710/60R30 CFO (SB SG)	171 D / 171 A8
5	VF 800/65R32 CFO (SB SG)	183 A8
6	VF 900/60R32 CFO (SB SG)	191 A8
7	VF 1050/50R32 CFO (SB SG)*	198 D / 198 A8
8	VF 580/80R34 CFO (SB SG)	178 A8
9	VF 620/70R42 CFO (SB SG)	172 A8
10	VF 800/55R46 CFO (SB SG)	190 D / 190 A8

Note: SB- Steel Belted, CHO- Cyclic Harvesting Operation, VF- Very High Flexion, Sizes marked in * have TRA code as R-1





IMB 160 I-1 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	7.50-10	12	111/99 A8
2	10.0/80-12	8	116/104 A8
3	10.0/80-12	10	121/109 A8
4	10.0/75-15.3	10	123/111 A8
5	10.0/75-15.3	12	126/114 A8
6	10.0/75-15.3	14	130/118 A8
7	10.0/75-15.3	18	135/122 A8
8	11.5/80-15.3	10	131/119 A8
9	11.5/80-15.3	12	135/123 A8
10	11.5/80-15.3	14	139/126 A8
11	11.5/80-15.3	16	142/129 A8
12	11.5/80-15.3	18	144/132 A8
13	12.5/80-15.3	14	142/129 A8
14	12.5/80-15.3	18	151/139 A8
15	400/60-15.5	16	146/133 A8
16	10.5/65-16	14	130/118 A8
17	13.0/75-16	12	138 A8
18	14.0/65-16	14	142/129 A8
19	15.0/55-17	10	134/122 A8
20	15.0/55-17	14	141/128 A8
21	19.0/45-17	14	144/131 A8
22	500/50-17	14	149/136 A8
23	500/50-17	18	154/142 A8
24	10.5/80-18	14	138 A8
25	12.5/80-18	16	148/135 A8
26	13.0/65-18	16	144/131 A8
27	15.0/70-18	16	151/139 A8

Note: The size marked in star is TT



IMB 161 I-2 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	260/70-15.3	10	122 A8 / 110 A8
2	260/70-15.3	14	131 A8 / 119 A8
3	300/80-15.3	14	139 A8
4	400/60-15.5	14	145 A8 / 132 A8
5	400/60-15.5	16	148 A8 / 135 A8
6	400/60-15.5	18	149 A8 / 136 A8
7	340/55-16	12	133 A8 / 121 A8
8	340/55-16	14	136 A8 / 124 A8
9	340/55-16	18	140 A8 / 128 A8
10	380/55-17	10	134 A8 / 122 A8
11	380/55-17	14	141 A8 / 128 A8
12	380/55-17	18	146 A8 / 134 A8
13	480/45-17	14	146 A8 / 134 A8
14	480/45-17	18	149 A8 / 136 A8
15	500/50-17	10	143 A8 / 131 A8
16	500/50-17	14	149 A8 / 137 A8
17	500/50-17	18	154 A8 / 142 A8
18	400/70-20	16	156 A8 / 144 A8
19	500/55-20	10	150 A8 / 138 A8
20	500/55-20	12	155 A8 / 143 A8



IMB 162 I-3 (TT/TL)

Sr. No	Tyre Size	PR	LI/SI
1	6.5/80-12*	6	93/80 A8
2	7.00-12	6	95/83 A8
3	11.0/65-12	8	114A8/101A8
4	6.5/80-13	6	95/82 A8
5	5.00-15	6	88/75 A8
6	6.5/80-15	6	98/86 A8
7	7.5L-15	8	113/100 A8
8	7.60-15	6	100B
9	27X10-15.3	8	107A8/95A8
10	10.0/75-15.3	10	123/111 A8
11	10.0/75-15.3 HLV	10	129/123 A8
12	10.0/75-15.3	14	130/118 A8
13	10.0/75-15.3	18	135/123 A8
14	11.5/80-15.3	12	135/123 A8
15	11.5/80-15.3	14	139/126 A8
16	11.5/80-15.3 HLV	14	145/139 A8
17	6.00-16	8	103/91 A8
18	6.50-16 *	8	105/93 A8
19	7.50-16	8	112/99 A8
20	16.5L-16.1	10	138B
21	19.0/45-17	10	138/125 A8
22	19.0/45-17	16	146/133 A8
23	7.50-18*	8	114/101 A8
24	10.5/80-18	10	131/119 A8
25	12.5/80-18	12	142/129 A8
26	7.50-20*	8	116/103 A8

Note: The size marked in star is TT, HLV: High Load Variant



IMB 163 I-1 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	9.5L-14 SL	8	111 B
2	11L-14 SL	8	112 B
3	6.70-15 SL	6	97 B
4	7.60-15 SL	10	110 B
5	9.5L-15SL	8	112 B
6	9.5L-15SL	12	121 B
7	10.00-15 SL	8	121 B
8	11L-15 SL	8	113 B
9	11L-15 SL	12	121 B
10	11L-15 SL	16	128 B
11	12.5L-15 SL	12	127 B
12	31x13.50-15	12	124 B
13	12.5L-16 SL	14	130 B
14	14L-16.1 SL	14	138 B
15	16.5L-16.1 SL	12	141 B
16	21.5L-16.1 SL	14	152 B
17	7.50-20 SL	6	106 B
18	11.25-24 SL	12	138 B
19	11.25-28 SL	12	139 B

SL- Standard Load



IMB 164 IMP (TT/TL)

Sr. No	Tyre Size	PR	LI/SI
1	200/60-14.5	10	106 A8
2	200/60-14.5*	14	113 A8
3	200/60-14.5	14	113 A8
4	250/65-14.5*	12	119 A8

Note: The size marked in star is TL



IMB 165 IMP (TL)

Sr. No	Tyre Size	PR	LI/SI
1	23X8.50-12	6	89 A6
2	23x8.50-12	10	104A8
3	26X12.00-12	8	112 A6
4	26x12.00-12	10	117 A6
5	29x12.50-15	6	98 B
6	31X15.50-15	10	121 B



IMB 166 IMP (TL)

Sr. No	Tyre Size	LI/SI
1	280/60-15.5	128/116 A8
2	320/60-12	132/120 A8



IMB 168 I-1 (TL)

Sr. No	Tyre Size	LI/SI
1	9.5L-15 FI	123J
2	11L-15 FI	128J
3	12.5L-15 FI	134J



BOSS TR 20 (TT)

Sr. No	Tyre Size	PR	LI/SI
1	9.00-16	16	137 A6
2	9.00-16	18	138 A6



BOSS TR 21 (TT)

Sr. No	Tyre Size	PR
1	10.00-20	18



BOSS TR 22 (TT)

Sr. No	Tyre Size	PR
1	10.00-20	18



IMR 140 IMP (TL)

Sr. No	Tyre Size	LI/SI
1	31X15.50 R15	122B
2	33X15.50 R15	126B
3	380/55R17 (15.0/55R17)	125A8
4	425/55R17	134D
5	500/50R17 (SB)	145D

Note: SB- Steel Belted



SPR 250 IMP (TL)

Sr. No	Tyre Size	LI/SI
1	31X15.50 R15	122 B
2	33X15.50 R15	126 B
3	440/50R17 (SB)	135 D
4	480/45R17 (SB)	137 D
5	500/50R17 (SB)	147 D

Note: SB- Steel Belted



IMR 142 IMP (TL)

Sr. No	Tyre Size	LI/SI
1	500/50R17 (SB)	149 D

Note: SB- Steel Belted



VIR 2500 IMP (TL)

Sr. No	Tyre Size	LI/SI
1	VF 240/80R15 (SB SG)	126 D
2	VF 265/85R15 (SB, SG)	129 D
3	VF 340/60R15 (SB, SG)	129 D
4	VF 280/70R15 (SB, SG)	140 D
5	VF 320/70R15 (SB, SG)	145 D
6	VF 380/70R15 (SB SG)	152 D
7	VF 380/55R16.5 (SB, SG)	148 D
8	VF 380/60R16.5 (SB, SG)	147 D
9	VF 480/45R17 (SB, SG)	155 D
10	VF 500/50R17 (SB, SG)	156 D
11	VF 360/65R17.5 (SB SG)	148 D

Note: VF- Very High Flexion, SB- Steel Belted, SG- Stubble Guard

Flotation



FTB 190 I-3 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	300/65-12	8	122 A8
2	400/60-15.5	14	145 A8
3	400/60-15.5	16	148 A8
4	400/60-15.5	18	151 A8
5	400/55-17.5	16	-
6	480/45-17	16	150 A8
7	500/50-17	14	149 A8
8	500/50-17	18	157 A8
9	400/55-17.5	16	149 A8
10	385/65-22.5	18	160 A8
11	400/55-22.5	14	150 A8
12	400/55-22.5	16	152 A8
13	550/45-22.5	16	159 A8
14	550/45-22.5	20	159 A8
15	500/45-22.5	16	154 A8
16	500/50-22.5	20	163 A8
17	500/60-22.5	16	163 A8
18	500/60-22.5	20	170 A8
19	550/60-22.5 V	16	166 A8
20	550/60-22.5	16	166 A8
21	550/60-22.5	20	171 A8
22	560/60-22.5 (HD)	16	167 A8
23	600/50-22.5	16	165 A8
24	600/55-22.5	16	169 A8
25	700/40-22.5	16	166 A8
26	700/50-22.5	16	174 A8
27	400/60-26.5	16	147 A8
28	600/55-26.5	16	170 A8
30	700/50-26.5	16	174 A8
31	800/45-26.5	16	177 A8
32	850/50-30.5	18	193 A8

Note: V- Value Plus, HD: Heavy Duty



FTR 170 IMP (TL)

Sr. No	Tyre Size	LI/SI
1	480/45R17 (SB)	140 D
2	500/50R17 (SB)	149 D
3	520/50R17 (SB)	151 D
4	400/45R17.5 (SB)	139 D
5	500/45R22.5 (SB)	136 D
6	500/60R22.5 (SB)	155 D
7	520/55R22.5 (SB)	154 D
8	560/45R22.5 (SB)	152 D
9	560/60R22.5 (SB)	165 D
10	580/65R22.5 (SB)	166 D
11	600/50R22.5 (SB)	159 D
12	600/50R22.5 (SB)	167 D
13	600/55R22.5 (SB)	162 D
14	620/40R22.5 (SB)	154 D
15	650/40R22.5 (SB)	150 D
16	650/50R22.5 (SB)	163 D
17	710/40R22.5 (SB)	165 D
18	710/45R22.5 (SB)	165 D
19	750/45R22.5 (SB)	169 D
20	750/45R22.5 (SB)	176 D
21	600/55R26.5 (SB)	165 D
22	650/55R26.5 (SB)	170 D
23	650/55R26.5 (SB)	178 D
24	650/60R26.5 (SB)	180 D
25	650/65R26.5 (SB)	174 D
26	650/65R26.5 (SB)	181 D
27	710/50R26.5 (SB)	170 D
28	750/45R26.5 (SB)	170 D
29	800/45R26.5 (SB)	174 D
30	600/60R30.5 (SB)	173 D
31	650/65R30.5 (SB)	176 D
32	710/50R30.5 (SB)	176 D
33	750/60R30.5 (SB)	181 D
34	750/60R30.5 (SB) WS	181 D
35	800/45R30.5 (SB)	176 D
36	850/50R30.5 (SB)	182 D
37	800/60R32 (SB)	185 D
38	800/60R38 (SB)	182 D

Note: SB- Steel Belted, WS: Wide Section Width



FCR 185 IMP (TL)

Sr. No	Tyre Size	PR	LI/SI
1	560/60R22.5 HD (SB)	-	169 D
2	600/55R26.5 HD (SB)	-	173 D
3	650/55R26.5 HD (SB)	-	178 D
4	600/60R30.5 HD (SB)	-	178 D

Note: SB- Steel Belted, HD- Heavy Duty



FTR 176 IMP (TL)

Sr. No	Tyre Size	LI/SI
1	560/45R22.5 (SB)	152 D/149 E
2	560/60R22.5 (SB)	165 D/162 E
3	560/60R22.5 (SB)	170 D/167 E
4	710/65R26 (28LR26) (SB)	173D/170 E
5	600/55R26.5 (SB)	173 D/170 E
6	650/55R26.5 (SB)	178 D/175 E
7	710/50R26.5 (SB)	179D/176E
8	750/45R26.5 (SB)	174 D/171 E
9	750/60R30.5 (SB)	181 D/ 178 E
10	850/50R30.5 (SB)	182 D/179 E
11	30.5LR32 (SB)	178 D/175 E
12	900/65R32 (35.5LR32) (SB)	197 D/194 E

Note: SB- Steel Belted

Irrigation



IRB 260 R-1 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	11.2-24	6	110 A8
2	14.9-24	8	128 A8
3	11.2-38	6	114 A8

Multi-Purpose



SPB 260 R-3 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	23.1-26 (DB)	18	170 A8
2	620/75-30 (DB)	16	161 A6
3	620/75-30 (DB)	18	164 A6
4	650/75-32 (DB)	16	164 A6
5	650/75-32 (DB)	18	167 A6

Note: DB- Dual Bead



MPR 390 MPT (TL)

Sr. No	Tyre Size	PR	LI/SI
1	355/60R18 (SB)	16	142J

Note: SB- Steel Belted

Lawn & Garden



UTR 240 R-3+ (TL)

Sr. No	Tyre Size	LI/SI
1	215/45R10 (18X8.50R10)	80 A8/B
2	215/50R10	80 A8/B
3	220/55R12	82 A8/B
4	240/60R12	89 A8/B
5	315/55R12 (26X12.00R12)	102 A8/B
6	215/65R14 (25X12.00R12)	90 A8/B
7	220/55R14	105 A8/B
8	200/60R15	83 A8/B
9	215/70R15 (27X8.50R15)	90 A8/B
10	200/65R16	94 A8/B
11	200/70R16	94 A8/B
12	240/70R16	104 A8/B
13	260/70R16	109 A8/B
14	280/70R16	112 A8/B
15	340/80R16	117 A8/B
16	265/70R16.5 (10R16.5)	105 A8/B
17	305/70R16.5 (12R16.5)	105 A8/B
18	355/65R17.5 (14R17.5)	130 A8/B
19	260/70R18	114 A8/B
20	320/65R18	109 A8/B
21	385/65R19.5	130 A8/B
22	280/70R18	114 A8/B
23	300/70R20	110 A8/B
24	320/70R20	113 A8/B
25	380/70R20	122 A8/B
26	400/70R20 (43X16.00R20)	130 A8/B
27	360/70R24	122 A8/B
28	380/70R24	125 A8/B
29	420/70R24	130 A8/B
30	460/70R24 (17.5LR24)	139 A8/B
31	500/70R24 (19.5LR24)	140 A8/B
32	320/85R28	124 A8/B
33	360/70R28	125 A8/B
34	480/70R34	143 A8/B

Agro Forestry



AFB 820 R-1 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	18.4-26	16	156 A8



AFB 821 R-1 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	12.4-24 (SB)	16	130 A8
2	13.6-24 (SB)	16	136 A8
3	14.9-24 (SB)	16	140 A8
4	16.9-30 (SB)	16	149 A8
5	18.4-30 (SB)	16	151 A8
6	16.9-34 (SB)	16	151 A8
7	18.4-34 (SB)	16	155 A8
8	18.4-38 (SB)	14	-

Note: SB - Steel Belted

Log Skidder



LSB 780 LS-2 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	26.5-25 (SB)	36	200 A6/209 A2
2	18.4-26 (SB)	16	152 A6
3	23.1-26 (SB)	16	160 A6/172 A2
4	23.1-26 HD (SB)	16	160 A6 / 172 A2
5	28L-26 (SB) (DB)	20	165 A6
6	28L-26 (SB) (DB)	26	173 A6
7	24.5-32 (SB) (DB)	20	169 A6 / 181 A2
8	30.5L-32 (SB) (DB)	20	170 A6
9	30.5L-32 (SB) (DB)	26	176 A6
10	30.5L-32 (SB) (DB)	32	180 A6
11	35.5L-32 (SB) (DB)	26	183 A6
12	35.5L-32 (SB) (DB)	32	187 A6

Note: SB - Steel Belted DB- Dual Bead, HD- Heavy Duty

Forestry Forwarder



FFB 840 LS-2 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	710/40-22.5 (SB)	20	161 A8 HT - 161A2\LT - 168A2
2	600/55-26.5 (SB)	20	165 A8 HT - 165A2\LT - 172A2
3	600/55-26.5 (SB)	24	170A8 HT - 170A2\LT - 177A2
4	710/45-26.5 (SB)	20	168 A8 HT - 168A2\LT - 175A2
5	710/55-26.5 (SB)	24	179 A8 HT - 179A2\LT - 186A2
6	750/55-26.5 (SB)	24	182A8
7	800/40-26.5 (SB)	20	170 A8 HT - 170A2\LT - 177A2
8	780/50-28.5 (SB)	26	185A8

Note: SB - Steel Belted, HT- High Torque, LT- Low Torque



FFB 841 LS-2 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	710/40-22.5 (SB)	24	167 A8
2	710/40-24.5 (SB)	24	168 A8
3	600/55-26.5 (SB)	20	165 A8
4	710/45-26.5 (SB)	20	168 A8
5	710/45-26.5 (SB)	24	173 A8
6	750/55-26.5 (SB)	26	185 A8
7	710/55-28.5 (SB)	24	180 A8
8	780/50-28.5 (SB)	26	185 A8

Note: SB - Steel Belted



FFB 842 LS-2 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	500/60-22.5 (SB)	20	156A8/163A2
2	550/60-22.5 (SB)	18	157A8/164A2
3	800/45-30.5 SB	20	174A8/181A2


Note: SB - Steel Belted



FFB 843 LS-2 (TL)

Sr. No	Tyre Size	PR	LI/SI
1	400/60-15.5 (SB)	20	152 A8 / 148 B 140 A8 / 135 B
2	400/60-22.5 (SB)	20	152 A8 / 148 B 140 A8 / 135 B
3	500/45-22.5 (SB)	16	154A8/150B 142A8/138B

Note: SB - Steel Belted



#NeverStopRising



Mahansaria Tyres Pvt. Ltd.

3rd Floor, Peninsula Chambers, Ganpat Rao Kadam Marg,
Lower Parel West, Mumbai 400013, India

T: +91 22 4348 1600

E: enquiry@ascensotyres.com

W: www.ascensotyres.com



Please sign and stamp inside the box

Distributor/Dealer