

SSB 334 - Data Sheet

Industrial & Construction | Bias | NHS | TL | 5 Years

Salient Features & Benefits

Skid Steer Bias 334, specially designed for skid steer used in almond harvesting

Versatile for Paved and Field Operations:

- Specially Designed Block Pattern.
- Provides excellent performance on both paved surfaces and loose soil, making it ideal for construction and field applications like almond harvesting.

Rim and Wheel Protection:

- Rim Guard Protection.
- Protects the rim flange area against flats and wheel damage, extending the life of both tyre and rim.

Comfortable Road Performance:

- Overlap of Lugs.
- Ensures a smooth, comfortable drive on paved roads without compromising traction in off-road applications.

High Load-Carrying Capacity:

- Robust Construction.
- Capable of handling heavy loads, making it perfect for construction and agriculture applications where reliability is key.

Superior Durability and Protection:

- Cut & Chip Tread Compound.
- Provides extended tyre life and superior protection against cuts and chips, minimizing downtime in harsh conditions.

Enhanced Traction and Heat Dissipation:

- Optimum Distribution of Rubber and Grooves.
- Ensures enhanced traction while promoting optimum heat dissipation, resulting in uniform wear and a longer-lasting tyre.



Machineries



Skid Steer

Standard: ProductComponent.International Standards

Technical Specifications

ECE	Size	Recommended Rim	Alternate Rim	PR & LI/SI	Unloaded Dimension (mm)		Static Load Radius (mm)	Rolling Circumference (mm)	Type
					SW	OD			
E11*106R00/20*9077*00	10-16.5	8.25	-	10PR 134A2	268	785	360	2348	TL
E11*106R00/20*9078*00	12-16.5	9.75	-	12PR 145A2	320	850	387	2542	TL

The product information presented in this publication is provided for general reference and may be updated or revised without prior notification. Mahansaria Tyres Pvt. Ltd. or its subsidiaries make no guarantees regarding the absence of errors, omissions, or inaccuracies in the material.

All content featured in this publication or on our website is the sole property of Mahansaria Tyres Pvt. Ltd. and is protected under applicable intellectual property and industrial laws. No part of this material may be copied, reproduced, stored, shared, or distributed in any format: digital, print, or otherwise, without obtaining prior written authorisation from Mahansaria Tyres Pvt. Ltd.

Note: All tyres confirm to ETRTO standards.